

EU DECLARATION OF CONFORMITY



Manufacturer Name: **Zebra Technologies Corporation**

Manufacturer Address: **1 Zebra Plaza, Holtsville, NY 11742-1300**

This Declaration of Conformity is issued under the sole responsibility of the manufacturer. **ET85B** **Tablet**

The undersigned hereby declares that the above referenced product is in Conformity with European Directives 2014/53/EU, 2011/65/EU (as amended by Directive (EU) 2015/863) and FCC/ISED Rules & Regulations applying relevant Harmonized Standards and other technical specifications:

RF Spectrum Efficiency	Standards
Article 3.2	EN 301 908-1 V15.1.1 EN 301 908-2 V13.1.1 EN 301 908-13 V13.1.1 EN 300 328 V2.2.2 EN 301 893 V2.1.1 Draft EN 303 687 V1.0.0 EN 300 330 V2.1.1 EN 300 440 V2.1.1 EN 300 440 V2.2.1 EN 303 413 V1.2.1
EMC	Standards
Article 3.1b	EN 301 489-1 V2.2.3, Final Draft EN 301 489-52 V1.2.0 EN 301 489-1 V2.2.3, Draft EN 301 489-17 V3.2.5 EN 301 489-1 V2.2.3, Draft EN 301 489-3 V2.1.2 EN 301 489-1 V2.2.3, Draft EN 301 489-19 V2.2.0 EN 55032:2015/A1:2020 (Class B) EN 55032:2015/A11:2020 (Class B) EN 55035:2017 EN 55035:2017/A11:2020 EN 61000-3-2:2014 (Class A) EN IEC 61000-3-2:2019/A1:2021 (Class A) EN 61000-3-3:2013 EN 61000-3-3:2013/A1:2019/A2:2021 EN 60601-1-2:2015 EN 60601-1-2:2015/A1:2021 IEC 60601-1-2:2014/AMD1:2020 CSV 47 CFR Part 15, Subpart B, Class B ICES-003 Issue 7, Class B
Health & Safety	Standards
Article 3.1a	EN 62368-1:2014/AC:2015

Zebra Technologies Europe Limited

Dukes Meadow, Millboard Road, Bourne End, Buckinghamshire SL8 5XF, Company No: 02881068, Telephone: +44 1628 956900

Zebra Technologies Corporation

3 Overlook Point, Lincolnshire, IL 60069, Telephone: +1 847 634 6700

EN 62368-1:2014/A11:2017
EN IEC 62368-1:2020+A11:2020
IEC 62368-1:2018
UL 62368-1, second edition, CAN/CSA-C22.2 No. 62368-1-14
EN 50566:2017 (Max average 10g SAR: Body 1.595 W/Kg)
EN 50566:2017 (Max average 10g SAR: Limb 1.749 W/Kg)
EN 50364:2018
EN 50663:2017
EN 62479:2010
EN 50665:2017
EN 62311:2008
EN IEC 62311:2020
FCC 47CFR Part 2.1093
RSS 102 Issue 5
IEC 62471:2006 (Ed.1.0); EN 62471:2008 (LED)

Environmental**Standards**

EN IEC 63000:2018

With regard to Directive 2014/53/EU, the conformity assessment procedure referred to in Article 17.2(b) and detailed in Annex III has been followed with the involvement of the following Notified Body:

CTC advanced GmbH, Untertürkheimer Str. 6 – 10 66117 Saarbrücken, Germany

EC-Type Examination Certificate number: T818951N-03-TEC

Assessed Articles: 3.1a, 3.1b, 3.2

US company representative for FCC Supplier's Declaration of Conformity (47 CFR Part 2.1071 to 2.1077) is Jay Cadiz and can be reached at JCadiz@zebra.com

Signed on behalf of Zebra Technologies Corporation

(Authorized Corporate Signature)

Jay Cadiz

Manager, Compliance Engineering

Place: Lincolnshire

Date of Affixing the CE Mark: 21 December 2021

Rev: D

Date: 29 March 2024

Zebra Technologies Europe Limited

Dukes Meadow, Millboard Road, Bourne End, Buckinghamshire SL8 5XF, Company No: 02881068, Telephone: +44 1628 956900

Zebra Technologies Corporation

3 Overlook Point, Lincolnshire, IL 60069, Telephone: +1 847 634 6700

Appendix A

EU Operating frequencies and maximum power levels

Technology	Operating Frequencies/Bands	Maximum Transmit power level
WAN	W-CDMA FDD I	24dBm
	W-CDMA FDD III	24dBm
	W-CDMA FDD VIII	24dBm
	LTE FDD 1	23dBm
	LTE FDD 3	23dBm
	LTE FDD 7	23dBm
	LTE FDD 8	23dBm
	LTE FDD 20	23dBm
	LTE FDD 28	23dBm
	LTE TDD 38	23dBm
	LTE TDD 40	23dBm
	LTE TDD 41	23dBm
	LTE TDD 42	23dBm
	LTE TDD 43	23dBm
	WLAN	2400 MHz – 2483.5 MHz
5150 MHz – 5250 MHz		23dBm
5250 MHz – 5350 MHz		23dBm
5470 MHz – 5725 MHz		23dBm
5725 MHz – 5850 MHz		14dBm
5945MHz – 6425 MHz		23dBm
Bluetooth	2400 MHz – 2483.5 MHz	10dBm
RFID (NFC)	13.553 MHz - 13.567MHz	42 dBµA/m @10m
GNSS	1575.42 MHz (GPS/SBAS)	NA
	1602 MHz (GLONASS)	NA



Restrictions:

The use of 5GHz RLAN throughout the EEA has the following restriction:

- 5.15 - 5.35 GHz is restricted to indoor use only.

Accessories:

Description	Model
SMART CARD CAC READER	ZBK-ET8X-SMARTCARD-01
ET8X RUGGED SNAPBACK BOOT	SG-ET8X-BOOT1-01